

Summarizing Data Part 2

DATA 606 - Statistics & Probability for Data Analytics

Jason Bryer, Ph.D.

November 12, 2025

One Minute Paper Results

What was the most important thing you learned during this class?



What important question remains unanswered for you?




Grammar of Graphics



Data Visualizations with ggplot2



- `ggplot2` is an R package that provides an alternative framework based upon Wilkinson's (2005) Grammar of Graphics.
- `ggplot2` is, in general, more flexible for creating "prettier" and complex plots.
- Works by creating layers of different types of objects/geometries (i.e. bars, points, lines, polygons, etc.) `ggplot2` has at least three ways of creating plots:
 1. `qplot`
 2. `ggplot(...)` + `geom_XXX(...)` + ...
 3. `ggplot(...)` + `layer(...)`
- We will focus only on the second.



Parts of a `ggplot2` Statement



- Data

```
ggplot(myDataFrame, aes(x=x, y=y))
```

- Layers

```
geom_point(), geom_histogram()
```

- Facets

```
facet_wrap(~ cut), facet_grid(~ cut)
```

- Scales

```
scale_y_log10()
```

- Other options

```
ggtitle('my title'), ylim(c(0, 10000)), xlab('x-axis label')
```




Lots of geoms



```
ls('package:ggplot2')[grep('^geom_', ls('package:ggplot2'))]
```

```
## [1] "geom_abline"          "geom_area"           "geom_bar"
## [4] "geom_bin_2d"         "geom_bin2d"         "geom_blank"
## [7] "geom_boxplot"       "geom_col"           "geom_contour"
## [10] "geom_contour_filled" "geom_count"         "geom_crossbar"
## [13] "geom_curve"         "geom_density"       "geom_density_2d"
## [16] "geom_density_2d_filled" "geom_density2d"    "geom_density2d_filled"
## [19] "geom_dotplot"       "geom_errorbar"      "geom_errorbarh"
## [22] "geom_freqpoly"     "geom_function"     "geom_hex"
## [25] "geom_histogram"    "geom_hline"        "geom_jitter"
## [28] "geom_label"        "geom_line"         "geom_linerange"
## [31] "geom_map"          "geom_path"         "geom_point"
## [34] "geom_pointrange"   "geom_polygon"      "geom_qq"
## [37] "geom_qq_line"      "geom_quantile"     "geom_raster"
## [40] "geom_rect"         "geom_ribbon"       "geom_rug"
## [43] "geom_segment"     "geom_sf"           "geom_sf_label"
## [46] "geom_sf_text"     "geom_smooth"      "geom_spoke"
## [49] "geom_step"        "geom_text"        "geom_tile"
## [52] "geom_violin"      "geom_vline"
```



Data Visualization Cheat Sheet



Data Visualization with ggplot2 : : CHEAT SHEET



Basics

ggplot2 is based on the **grammar of graphics**, the idea that you can build every graph from the same components: a **data set**, a **coordinate system**, and **geoms**—visual marks that represent data points.



To display values, map variables in the data to visual properties of the geom (**aesthetics**) like **size**, **color**, and **x** and **y** locations.



Complete the template below to build a graph.

```
ggplot (data = <DATA>) +
  <GEOM_FUNCTION> (mapping = aes (<MAPPINGS>),
  stat = <STAT>, position = <POSITION>) +
  <COORDINATE_FUNCTION> +
  <FACET_FUNCTION> +
  <SCALE_FUNCTION> +
  <THEME_FUNCTION>
```

required
Not required, sensible defaults supplied

ggplot(data = mpg, aes(x = cty, y = hwy)) begins a plot that you finish by adding layers. Add one geom function per layer.

aesthetic mappings data geom

qplot(x = cty, y = hwy, data = mpg, geom = "point") Creates a complete plot with given data, geom, and mappings. Supplies many useful defaults.

last_plot() Returns the last plot

ggsave("plot.png", width = 5, height = 5) Saves last plot as 5" x 5" file named "plot.png" in working directory. Matches file type to file extension.



Geoms

Use a geom function to represent data points, use the geom's aesthetic properties to represent variables. Each function returns a layer.

GRAPHICAL PRIMITIVES

```
a <- ggplot(economics, aes(date, unemploy))
b <- ggplot(seals, aes(x = long, y = lat))

a + geom_blank()
(Useful for expanding limits)

b + geom_curve(aes(yend = lat + 1,
xend = long + 1, curvature = z)) ~ x, yend, y, yend,
alpha, angle, color, curvature, linetype, size

a + geom_path(linetype = "butt", linejoin = "round",
linemitre = 1)
x, y, alpha, color, group, linetype, size

a + geom_polygon(aes(group = group))
x, y, alpha, color, fill, group, linetype, size

b + geom_rect(aes(xmin = long, ymin = lat, xmax =
long + 1, ymax = lat + 1)) ~ xmax, xmin, ymax,
ymin, alpha, color, fill, linetype, size

a + geom_ribbon(aes(ymin = unemploy - 900,
ymax = unemploy + 900)) ~ x, ymax, ymin,
alpha, color, fill, group, linetype, size
```

LINE SEGMENTS

```
common aesthetics: x, y, alpha, color, linetype, size

b + geom_abline(aes(intercept = 0, slope = 1))
b + geom_hline(aes(yintercept = lat))
b + geom_vline(aes(xintercept = long))

b + geom_segment(aes(yend = lat + 1, xend = long + 1))
b + geom_spoke(aes(angle = 1.1155, radius = 1))
```

ONE VARIABLE continuous

```
c <- ggplot(mpg, aes(hwy))
c2 <- ggplot(mpg)

c + geom_area(stat = "bin")
x, y, alpha, color, fill, linetype, size

c + geom_density(kernel = "gaussian")
x, y, alpha, color, fill, group, linetype, size, weight

c + geom_dotplot()
x, y, alpha, color, fill

c + geom_freqpoly() x, y, alpha, color, group,
linetype, size

c + geom_histogram(binwidth = 5) x, y, alpha,
color, fill, linetype, size, weight

c2 + geom_qq(aes(sample = hwy)) x, y, alpha,
color, fill, linetype, size, weight
```

```
discrete
d <- ggplot(mpg, aes(fl))

d + geom_bar()
x, alpha, color, fill, linetype, size, weight
```

TWO VARIABLES

```
continuous x , continuous y
e <- ggplot(mpg, aes(cty, hwy))

e + geom_label(aes(label = cty), nudge_x = 1,
nudge_y = 1, check_overlap = TRUE) x, y, label,
alpha, angle, color, family, fontface, hjust,
lineheight, size, vjust

e + geom_jitter(height = 2, width = 2)
x, y, alpha, color, fill, shape, size

e + geom_point(), x, y, alpha, color, fill, shape,
size, stroke

e + geom_polygon(aes(group = group))
x, y, alpha, color, group, linetype, size, weight

e + geom_rug(sides = "bl") x, y, alpha, color,
linetype, size

e + geom_smooth(method = lm) x, y, alpha, color,
fill, group, linetype, size, weight

e + geom_text(aes(label = cty), nudge_x = 1,
nudge_y = 1, check_overlap = TRUE) x, y, label,
alpha, angle, color, family, fontface, hjust,
lineheight, size, vjust
```

discrete x , continuous y

```
f <- ggplot(mpg, aes(class, hwy))

f + geom_col() x, y, alpha, color, fill, group,
linetype, size

f + geom_boxplot() x, y, lower, middle, upper,
ymax, ymin, alpha, color, fill, group, linetype,
shape, size, weight

f + geom_dotplot(binaxis = "y", stackdir =
"center") x, y, alpha, color, fill, group

f + geom_violin(scale = "area") x, y, alpha, color,
fill, group, linetype, size, weight
```

discrete x , discrete y

```
g <- ggplot(diamonds, aes(cut, color))

g + geom_count() x, y, alpha, color, fill, shape,
size, stroke
```

THREE VARIABLES

```
sealsSz <- with(seals, sqrt(delta_long^2 + delta_lat^2))
l <- ggplot(seals, aes(long, lat))

l + geom_contour(aes(z = z))
x, y, z, alpha, colour, group, linetype,
size, weight

l + geom_raster(aes(fill = z), hjust = 0.5, vjust = 0.5,
interpolate = FALSE)
x, y, alpha, fill

l + geom_tile(aes(fill = z)), x, y, alpha, color, fill,
linetype, size, width
```

continuous bivariate distribution

```
h <- ggplot(diamonds, aes(carat, price))

h + geom_bin2d(binwidth = c(0.25, 500))
x, y, alpha, color, fill, linetype, size, weight

h + geom_density2d()
x, y, alpha, colour, group, linetype, size

h + geom_hex()
x, y, alpha, colour, fill, size
```

continuous function

```
i <- ggplot(economics, aes(date, unemploy))

i + geom_area()
x, y, alpha, color, fill, linetype, size

i + geom_line()
x, y, alpha, color, group, linetype, size

i + geom_step(direction = "hv")
x, y, alpha, color, group, linetype, size
```

visualizing error

```
df <- data.frame(grp = c("A", "B"), fit = 4.5, se = 1.2)
j <- ggplot(df, aes(grp, fit, ymin = fit - se, ymax = fit + se))

j + geom_crossbar(fatten = 2)
x, y, ymax, ymin, alpha, color, fill, group, linetype,
size

j + geom_errorbar() x, ymax, ymin, alpha, color,
group, linetype, size, width (also
geom_errorbarh())


j + geom_linerange()
x, ymin, ymax, alpha, color, group, linetype, size

j + geom_pointrange()
x, y, ymin, ymax, alpha, color, fill, group, linetype,
shape, size
```

maps

```
data <- data.frame(murder = USArrests$Murder,
state = tolower(row.names(USArrests)))
map <- map_data("state")
k <- ggplot(data, aes(fill = murder))


k + geom_map(aes(map_id = state), map = map)
+ expand_limits(x = map$long, y = map$lat),
map_id, alpha, color, fill, linetype, size
```



Scatterplot





```
ggplot(legosets, aes(x=pieces, y=US_retailPrice)) + geom_point()
```



Scatterplot (cont.)




```
ggplot(legosets, aes(x=pieces, y=US_retailPrice, color=availability)) + geom_point()
```



Scatterplot (cont.)




```
ggplot(legosets, aes(x=pieces, y=US_retailPrice, size=minifigs, color=availability)) + geom_point()
```



Scatterplot (cont.)




```
ggplot(legosets, aes(x=pieces, y=US_retailPrice, size=minifigs)) + geom_point() + facet_wrap(~ availability)
```



Boxplots





```
ggplot(legosets, aes(x='Lego', y=US_retailPrice)) + geom_boxplot()
```



Boxplots (cont.)




```
ggplot(legosets, aes(x=availability, y=US_retailPrice)) + geom_boxplot()
```



Boxplot (cont.)




```
ggplot(legosets, aes(x=availability, y=US_retailPrice)) + geom_boxplot() + coord_flip()
```



Histograms





```
ggplot(legosets, aes(x = US_retailPrice)) + geom_histogram(binwidth = 25)
```



Histograms (cont.)




```
ggplot(legosets, aes(x = US_retailPrice)) + geom_histogram(bins = 15) + scale_x_log10()
```



Histograms (cont.)




```
ggplot(legosets, aes(x = US_retailPrice)) + geom_histogram(binwidth = 25) + facet_wrap(~ availability)
```



Density Plots




```
ggplot(legosets, aes(x = US_retailPrice, color = availability)) + geom_density()
```



Density Plots (cont.)



```
ggplot(legosets, aes(x = US_retailPrice, color = availability)) + geom_density() + scale_x_log10()
```



ggplot2 aesthetics cheat sheet

Use this table to find the right aesthetics for your geoms:

Aesthetics that usually must be mapped to the data: use inside aes()

Aesthetics that can be mapped to the data: use in or outside aes()

Aesthetics that cannot be mapped to the data: use outside aes()

e.g., `ggplot(mpg, aes(x = class, y = displ)) + geom_col(aes(fill = class), width = .9)`

	color	linetype	fill	y	xmax	ymax	yend	shape	width	angle	hjust	label	fontface	
group	size	alpha	x	xmin	ymin	xend	weight	stroke	height	radius	vjust	family	lineheight	
area														area
bar (vertical)														bar (vertical)
bar (horizontal)														bar (horizontal)
bin2d														bin2d
boxplot														boxplot
col														col
contour														contour
contour_filled														contour_filled
count														count
crossbar (vertical)														crossbar (vertical)
crossbar (horizontal)														crossbar (horizontal)
curve														curve
density														density
density_2d														density_2d
dotplot														dotplot
errorbar														errorbar
errorbarh														errorbarh
freqpoly														freqpoly
hex														hex
histogram (on x-axis)														histogram (on x-axis)
histogram (on y-axis)														histogram (on y-axis)
jitter														jitter
label														label
line														line
linerange (vertical)														linerange (vertical)
linerange (horizontal)														linerange (horizontal)
map														map
path														path
point														point
pointrange (vertical)														pointrange (vertical)
pointrange (horizontal)														pointrange (horizontal)
polygon														polygon
quantile														quantile
raster														raster
rect														rect
ribbon (variation y-axis)														ribbon (variation y-axis)
ribbon (variation x-axis)														ribbon (variation x-axis)
rug														rug
segment														segment
smooth														smooth
spoke														spoke
step														step
text														text
tile														tile
violin														violin

● usually must be inside aes() ■ can be inside aes() ◆ must be outside aes()

idea and design: Christian Burkhart
design advice: Ida Aarnio



Likert scales are a type of questionnaire where respondents are asked to rate items on scales usually ranging from four to seven levels (e.g. strongly disagree to strongly agree).

```
library(likert)
library(reshape)
data(pisaitems)
items24 <- pisaitems[,substr(names(pisaitems), 1,5) == 'ST24Q']
items24 <- rename(items24, c(
  ST24Q01="I read only if I have to.",
  ST24Q02="Reading is one of my favorite hobbies.",
  ST24Q03="I like talking about books with other people.",
  ST24Q04="I find it hard to finish books.",
  ST24Q05="I feel happy if I receive a book as a present.",
  ST24Q06="For me, reading is a waste of time.",
  ST24Q07="I enjoy going to a bookstore or a library.",
  ST24Q08="I read only to get information that I need.",
  ST24Q09="I cannot sit still and read for more than a few minutes.",
  ST24Q10="I like to express my opinions about books I have read.",
  ST24Q11="I like to exchange books with my friends.))
```




```
l24 <- likert(items24)
summary(l24)
```

```
##                               Item      low neutral
## 10  I like to express my opinions about books I have read. 41.07516      0
## 5   I feel happy if I receive a book as a present. 46.93475      0
## 8   I read only to get information that I need. 50.39874      0
## 7   I enjoy going to a bookstore or a library. 51.21231      0
## 3   I like talking about books with other people. 54.99129      0
## 11  I like to exchange books with my friends. 55.54115      0
## 2   Reading is one of my favorite hobbies. 56.64470      0
## 1   I read only if I have to. 58.72868      0
## 4   I find it hard to finish books. 65.35125      0
## 9   I cannot sit still and read for more than a few minutes. 76.24524      0
## 6   For me, reading is a waste of time. 82.88729      0
##      high      mean      sd
## 10 58.92484 2.604913 0.9009968
## 5  53.06525 2.466751 0.9446590
## 8  49.60126 2.484616 0.9089688
## 7  48.78769 2.428508 0.9164136
## 3  45.00871 2.328049 0.9090326
## 11 44.45885 2.343193 0.9609234
## 2  43.35530 2.344530 0.9277495
```

Likert Plots




plot(l24)




Pie Charts

There is only one pie chart in *OpenIntro Statistics* (Diez, Barr, & Çetinkaya-Rundel, 2015, p. 48). Consider the following three pie charts that represent the preference of five different colors. Is there a difference between the three pie charts? This is probably a difficult to answer.



Pie Charts

There is only one pie chart in *OpenIntro Statistics* (Diez, Barr, & Çetinkaya-Rundel, 2015, p. 48). Consider the following three pie charts that represent the preference of five different colors. Is there a difference between the three pie charts? This is probably a difficult to answer.



"There is no data that can be displayed in a pie chart that cannot better be displayed in some other type of chart"

John Tukey



Additional Resources

For data wrangling:

- dplyr website: <https://dplyr.tidyverse.org>
- R for Data Science book: <https://r4ds.had.co.nz/wrangle-intro.html>
- Wrangling penguins tutorial: <https://allisonhorst.shinyapps.io/dplyr-learnr/#section-welcome>
- Data transformation cheat sheet: <https://github.com/rstudio/cheatsheets/raw/master/data-transformation.pdf>

For data visualization:

- ggplot2 website: <https://ggplot2.tidyverse.org>
- R for Data Science book: <https://r4ds.had.co.nz/data-visualisation.html>
- R Graphics Cookbook: <https://r-graphics.org>
- Data visualization cheat sheet: <https://github.com/rstudio/cheatsheets/raw/master/data-visualization-2.1.pdf>

One Minute Paper

1. What was the most important thing you learned during this class?
2. What important question remains unanswered for you?



<https://forms.gle/ETg8tW9YRHQJHjE28>